

Oreon Instruction



Full Body Check



Translation into English.

Contents

Bioresonance - what is it?	2
The purpose of <i>OREON</i> TM	3
OREON TM device	4
Additional options	4
Preparing the unit for operation	5
How to work with OREON TM	6
Working with programs	6
Working with an active remote eight-contact electrode	7
Working with vector	8
The transfer of information to water	
Working with the adapter	
Programs of OREON TM	10
Principle of operation of programs No.1, No.2, No.3, No.4, No.5 - antiparasitic programs	10
Program No. 1. Antifungal	10
Program No. 2. Antibacterial and antiviral	11
Program No. 3. Anthelmintic and Antiprotozoal	11
Program No. 4. Miticidal and General	
Program No. 5. Prevention and detoxification	12
Principle of operation of programs No.6, No.7, No.8, No.9, No.10 - biocorrection and electrical stimulation	
Program No. 6. Cosmetology and trophism improvement	
Program No. 7. Analgesic, anti-inflammatory and decongestant	
Program No. 8. Rehabilitation and prevention of the musculoskeletal system	17
Program No. 9. Improvement of blood vessels, anti-cellulite, lymphatic drainage	16
Program No.10. Improvement and prevention of diseases of the gastrointestinal tract	17
Combination of OREON TM operating modes for the correction with various pathologies	18
Performing ionophoresis with OREON TM	19
The algorithm of application of bioresonance correction	19
Warnings	19
Appendix Q & A	20
Table of combination of programs at various pathologies	

Attention!

The system is powered by penlight batteries! NOT TO PLUG IN THE POWER SUPPLY NETWORK! At least once a month visual inspection of connecting wires should be carried out

Full Body Check 2 www.fullbodycheck.info



Bioresonance - what is it?

After years of research, scientists have found that absolutely all living beings (including microorganisms) emit electromagnetic waves. The frequency range emitted by humans varies from 1520 to 9460 kilohertz, and pathogens (fungi, viruses, bacteria, worms, mites) have a radiation range of 30-900 kilohertz.

The main sources of electrical and electromagnetic signals are: muscle activity, for example, rhythmic contractions of the heart muscle; neural activity, i.e. the transmission of electrical signals from the senses to the brain and the transmission of electrical signals from the brain to the executive systems - hands, feet; metabolic activity, i.e. metabolism in the body.

At the same time, many microorganisms - protozoa, a number of intestinal parasites, fungi, bacteria, viruses - have no nervous and muscular systems, so the source of electric and electromagnetic fields in them is metabolic activity.

Metabolism or exchange is what distinguishes " living" from" inanimate " nature. The movement of any charged particle creates a magnetic field around it, the accumulation of charged particles creates an electric potential of this or that sign. These prerequisites allow approaching the treatment and prevention of diseases not by chemical, i.e. medicinal in the traditional sense, but by physical methods.

The body becomes ill when it is unable to maintain a balance between physiological and pathological fluctuations. In the normal physiological state of the body, the relative synchronization of various vibrational (wave) processes is maintained, while in pathological conditions, violations of vibrational harmony are observed. This can be expressed in violation of the rhythms of the main physiological processes, for example, due to the sharp predominance of mechanisms of excitation or suppression in the central nervous system and changes in cortical-subcortical interactions. Heavy physical, nervous, psychological, environmental, geopathogenic and other loads aggravate this situation, and sometimes themselves become a source of disease, contributing to the development of pathological processes and disruption of dynamic balance.

Bioresonance effect is to correct the functions of the body when exposed to electromagnetic radiation of strictly defined parameters, just as a tuning fork sets a certain frequency spectrum of the sound wave.

The idea of bioresonance effects using weak electromagnetic oscillations inherent in the patient, was first expressed and scientifically substantiated by F. Morell (1977).

Etiology of severe chronic diseases such as: Parkinson's disease, Alzheimer's disease, AIDS, cancer, multiple sclerosis, endometriosis, severe arthritis, muscular dystrophy, etc., are not always known, but there is a point of view that the main factor in the pathogenesis is hidden parasitic infections.

According to the WHO, 4,300 million people on the Earth are infected with the main fourteen parasitic infections. According to the clinicians, most people around the world are carriers of a hidden infection.

Parasitic diseases are a group of infectious diseases caused by protozoa (amoebas, leishmanias, Giardia, plasmodia, trypanosomes, balantides, pneumocysts, toxoplasmas, etc.), parasitic worms (helminths), arthropods (insects and mites), pathogens (bacteria, spirochetes, Rickettsia, which parasitize lice, fleas, ticks, as well as pathogenic fungi, viruses, etc.).

Hidden parasitic infection does not manifest itself clearly and therefore remains out of sight of a doctor -



a therapist or an infectious disease specialist. The essence of this approach is revealed in the works of the famous scientist and clinician Hulda Regher Clark. The main provisions of her work were confirmed by the clinical experience accumulated in the USA and Germany, including the participation of independent experts from Germany, such as M. Keymer, A. E. Baklayan, etc. You can fight suspected parasites by injecting

the middle of the frequency range of the rhythm of their life by 3-5 minutes of strong interference with the large signal amplitude, and imposing a parasite the external and unusual rhythm for them and causing their inactivation.

Indications for the use of bioresonance effects are the same as in homeopathic therapy, acupuncture and Biomedicine in General. First of all - chronic degenerative changes, rheumatism, weakening of the immune system, allergies, neuralgic pains, pains resulting from the formation of malignant tumors, hard healing wounds, and post-operative treatment. As well as such common diseases as asthma, bronchitis, gastritis, duodenitis, and ulcers.

But there are states in which it does not make sense to use bioresonance correction. These reasons, which indicate the boundaries of the method usage, can be divided as follows:

- Anatomical causes.
- Mental causes.
- B as an example of anatomical causes, we give an incorrectly fused bone fracture. We are talking about a final state in which the bioresonance method has no effect: neither on incorrect position of the bones nor the consequent pain or functional impairment. But during the phase of the fracture union using the method speeds up the union, reduces pain
 - и accelerates the overall recovery process.

Contraindications to the use of the system are the presence of a pacemaker**.

* If you have a pacemaker, you can work indirectly - by charging water with a vector. In this case no direct exposure of frequencies which will make a dissonance with the pacemaker, but the impact will be made at the expense of the information component, due to water memory.

Having received this knowledge, the specialists of the scientific department at OOO Leader-group international, developed a unique complex for bioresonance testing and correction **OREONTM**.

The purpose of the OREONTM device

The **OREONTM** device is designed for active bioresonance correction (ABC), based on the generation of weak electromagnetic oscillations of a special shape and frequency, which are passed through the body using passive electrodes.

The effect is carried out by waves having a biomagnetic nature with a corrective soft, non-oppressive effect on the nucleus and plasma of the cell and its components.

The action of the device aimed at correcting the homeostasis of the human body is one of the few effective ways to prevent the disease.

All the permits for the use of the *BREON*TM device in the conditions of sanatorium-preventive, health and fitness institutions, advisory centers, by the experts of beauty salons, masseurs, etc., and also for independent application by clients at home have been received.

OREONTM has a general health effect on the entire body, starting with the structural and functional unit - a cell and ending with organs, systems and the whole body.

5

Full Body Check

www.fullbodycheck.info



Extract from the legislative base of Ukraine:

"Guided by the Ukrainian legal framework of economic activities, any private entrepreneur (who is not a doctor) has the opportunity to engage in: **the activities in the field of health care in Ukraine**, namely:


human health activities which are not carried out in hospitals or by doctors or dentists;

activities of nurses, maieutologists, physiotherapists or other paramedical personnel in the field of optometry, hydrotherapy, medical massage, occupational therapy, speech therapy, chiropody, homeopathy, chiropractic, acupuncture, etc.

These activities can be carried out in clinics operating under firms, schools, nursing homes and other organizations which are not hospitals, but have their own counseling centers with places of reception of patients. (Reference to KVED 2010)".

OREONTM device

Controls and indicators



- 1. Power on/off button.
- 2. Mode (program) selection button.
- 3. Button for lowering the signal strength.
- 4. Button to increase the signal strength.
- 5. Indicators of the selected mode (program).
- 6. Indicators of connection of remote electrodes.
- 7. Connectors for remote electrodes.
- 8. Active remote electrode (left and central socket).
- 9. Vector electrode (left and center socket).
- 10. Palm electrodes (left and central socket).





Additional options *

To obtain a more effective impact of the device, it is recommended to use:





Full Body Check

11. Head electrodes.
- it is recommended to connect them to the sockets: left and far right (programs 1 through 10). <u>The amplification in the programs 1 to 5 - should not be</u> <u>used!</u>

7

www.fullbodycheck.info



12. Passive electrodes.**
- connection of passive electrodes is made to the sockets: left and far right (programs 1 through 10).
<u>The amplification in the programs 1 to 5 - should not be</u> <u>used!</u>



13. Foot electrodes.

14. Adapter for electrodes.

- the foot electrodes are connected to the sockets: left and center (programs 1 through 10).



contact electrodes.
the adapter is connected to the device in the sockets: left and center (programs 1 through 10).

- connection of foot, palm, head, passive and active eight-

- connection of the electrodes to the adapter: each electrode is connected strictly to one side of the adapter (right or left).

NOTE: * - sold separately. *NOTE:* ** - the polarity of the electrodes does not matter.

Preparing the unit for operation

1. After transporting or storing the device at low temperatures, the device should be kept at room temperature for at least 2 hours before switching on.

2. Remove the device from its packaging and inspect it externally for mechanical damage. Check the completeness of the device.

3. Open the back cover of the device case (battery compartment) and insert 3 1.5 V AA batteries into the battery compartment, observing the polarity. Close the back cover of the device housing.

4. Attach the required electrodes to the connector on the device housing.



Attention! Before using it, it is necessary to disinfect the electrodes with an antiseptic <u>solution</u>, for example, <u>sterilium</u>. If the electrodes darken, wipe them with a <u>toothbrushpowder</u>, <u>soda</u>, or <u>dishwashing detergent</u>.

Attention! In order to avoid failure of the device, it is strictly forbidden, during the operation of the device, to contact the electrodes with each other.

- 5. Set the device in a convenient position so as to eliminate tension of the electrode wires.
- 6. Sit on a chair (preferably wooden), taking a comfortable position.

How to use the device

1. Press the power on/off button (1) three times to turn on the device. The program selection indicator (5) should light up (in running mode). During the operation, the device beeps every minute of the session.

2. Use the program selection button (2) to select the desired program. The indicator of the corresponding program wink and turns to steady light, you will hear a double beep and the indicator of the electrodes, used with a particular program, lights up (6).

3. When running the programs 1 through 5, the device automatically turns off after the session.

4. When running the programs 6 through 10, the device should be switched off by pressing the on/ off button (1).



Work with the programs

Using the electrodes when working with the programs		Connection of the electrodes	The program number of the device No.	
		to the device	1,2,3,4,5	6, 7, 8, 9, 10
	Vector		+	+
As a unit	Palmar electrodes	left and center socket	+	+
	Active external eight- contact electrode	SUCKET	_	+
	Head electrodes	the left and extreme	+	+
options Addition	Passive electrodes	the right slot	+	+
al	Foot electrodes	left and center socket	+	+

- 1. Connect the electrodes to the appropriate socket of the device according to the table.
- 2. Features of the use of electrodes.
- Passive electrodes:
- for hands: attach bracelets with passive electrodes (brass contacts to the inner part of the wrist) to the wrists.
- for feet: fasten the bracelets with passive electrodes, (brass parts to the body) on the feet.
- Foot electrodes:
- the ability to use both feet and hands.
- Head electrodes:
- fix the head electrodes with brass contacts on the frontal part of the head.



1. ATTENTION!!! When using passive and head electrodes, when working with programs 1 to 5 (plus and minus buttons), DO NOT ADJUST THE SIGNAL LEVEL!!!

2. Make sure that the electrodes do not touch each other or other exposed parts of the body. The crossing of arms and legs is **not allowed**.

3.Switch on the device according to step 7.1.

4.Select the appropriate program from 1 to 10, according to the table, in accordance with paragraph 7.2.

5. The duration of the program operation is 7 minutes. Every minute the device beeps. In 7 minutes, the device enters the 20-minute break mode.

6. In 20 minutes, the device will beep, after which you can continue the session by pressing the program selection button (2) once. Full session cycle: 7 minutes of work — 20-minute break — 7 minute — 20-minute break — 7 minutes of work.

Work with an active remote eight-contact electrode.

Connection is made to the sockets: left and center (programs 6 through 10).

1. Apply the active electrode contacts to the body.

2. If necessary, use the signal level buttons (3 and 4) to increase the pulse level to a slight tingling sensation on the skin of the body or a slight vibration from the electrode (when using the device for children under 14 years of age, the device should be set to the minimum pulse level). With sensitive skin, when there is a strong tingling at a minimum signal, the session should be carried out through a dry gauze cloth or a thin cotton cloth.

3. By gentle circular movements clockwise massage (in the form of sliding contacts on the body) the necessary parts of the body, without applying much effort.

Attention! Do not hold the electrode in one place.

4. The operating time is from 7 to 28 minutes (or more), from 1 to 5 times a day if necessary.

Attention! If you experience discomfort, press the signal level control buttons (3 and 4) to reduce the signal level to a comfortable level.



Working with the vector.

Vector enhances the impact of the device in contact and non-contact way. Connection is made to the sockets:

left and central (programs 1 to 10), with the amplification of the "+" and "-" signal.

Attention! *The vector is connected directly to the device. Connection of the vector through the adapter in parallel with the palm, foot, head and active eight-contact electrodes is <i>not allowed*!

Transfer of information to water.

C in order to increase the effective and mild effects on the body, it is recommended to transfer information from the device to the water.

This device can be used to record information on both a small volume of liquid and a larger volume.

Using a small container (maximum liquid volume is 1 liter)

This requires:

- 1. Place the device on a flat surface with the front panel facing up.
 - 2. Turn on the device and select the program you want to record on the water (the signal strength of "+" or " " signal is not necessary to be chosen)
 - 3. Install a small container of liquid (maximum volume is up to 1 liter) on the front panel.

Attention! <u>Recording the program on the water takes 7 minutes, after which the liquid is ready for use.</u> Attention! <u>A common consumer mistake. If you want to record several programs in a row, only the last</u>

program is recorded.

Use of large volume (1 liter or more)

This requires:

- 7.7.4. Place the device on a flat surface, set to the desired volume, with the front panel facing up.
- 7.7.5. Turn on the device and select the program you want to record on the water (the signal strength of "+" or " " signal is not necessary to be chosen)

Attention! To avoid failure of the device, do not immerse the device in liquid.

Working with the adaptor.

The adapter is designed to work more efficiently with the OREON [™] device by connecting additional electrodes:

- Foot, palm, head, passive, active eight-contact electrode. Using the adapter for electrodes it is possible to work with pairs of electrodes at once, using different schemes of connection.

The adapter is connected to the device in the sockets:

the left and central (for program 1 through 10), with amplification of the "+" and "-" signal.





Connecting the electrodes to the adapter:

Each electrode is connected strictly on one side of the adapter (right or left)

Attention! <u>The vector is connected directly to the BREON</u> TM <u>device in accordance with clause 7.7.</u> Connection of the vector through the adapter in parallel with the palm, foot and head and active eight-contact electrodes is **not allowed**!

Eight-Feet Passive Head contact Palm electrodes electrodes electrodes electrodes electrode electrodes +Palm Programs electrodes 6 to 10. ++++Eight-++ ++contact Programs Programs Programs Programs Programs 6 to 10. electrode + Head Programs electrodes 6 to 10. + ++++Passive Programs electrodes +6 to 10. ++++Feet Programs electrodes 6 to 10. ++++

Connection diagram :



The programs of bio-resonance therapy of the OREONTM device

- 1. Antifungal.
- 2. Antibacterial and antiviral.
- 3. Anthelminthic and Antiprotozoal (against protozoa).
- 4. Miticidal and general, including anthelmintic, anti-virus (including HPV and warts), antiprotozoal (against protozoa), and against ticks.
 - 5. Preventive and detoxification.
 - 6. Cosmetology and trophism improvement.
 - 7. Analgesic, anti-inflammatory and decongestant.
 - 8. Rehabilitation and prevention of the musculoskeletal system.
 - 9. Improvement of blood vessels, anti-cellulite program, lymphatic drainage.
 - 10. Improvement and prevention of diseases of the gastrointestinal tract.

*To obtain a more effective impact of the device, it is recommended to use:

- palm ("tubes"), foot ("plates") electrodes connection is made in sockets: (left and center), for the programs 1 through 10.
- head electrode (left and far right). Do not use signal amplification for programs 1 to 5.



Principle of operation of programs No.1, No.2, No.3, No.4, No.5 — antiparasitic programs

The principle of operation of programs from the 1st to the 5th is based on the impact of electromagnetic oscillations of a certain frequency, shape and amplitude, which have a strictly selective effect on different types of pathogens (helminths, fungi, bacteria, viruses, mites, etc.).

The radiation spectrum of the device corresponds to the radiation spectrum of pathogenic (alien) flora of weak electromagnetic oscillations of a special shape and frequency, which are passed through the body with the help of special passive palm Left and Right electrodes. As a result of such exposure, the protective functions of pathogens are weakened, the amount of toxins and waste products produced by them is reduced. This, in its turn, helps the body's immune system to recognize and reduce the activity of pathogenic flora, and eventually remove it from the body. Complete liberation of the organism from the above-mentioned agents occurs as a result of their active displacement by bioflora and intensive elimination (elimination and removal from the body) by elements of the immune system at the tissue and cellular level.

Program No. 1. Antifungal

This program has a selective effect on the fungal flora:

actinomycetes, propionic, viscous, neslunds; aspergillus (mycelial fungus), niger, oryzae, flavus, fumigatus, clavatus; blastomycete (diphasic fungi, having yeast and mycelial phase), blastomycosis, brazymines, dermatitis, botriomycosis;



histoplasma, capsulatum; hyphen; candida (yeast-like fungi), albicans, robusta, krusei, tropicalis, mons, parapsilosis, etc; coccidioidin; nocardia; mucoral fungus;

Cladosporium; cryptosporidium; lycogala (slimy fungus), stemonitis; mycelium; trichosporon; trichophyton (15 species); arenales (intestinal fungus); aflatoxine (including ergot claviceps).

Program No. 2. antibacterial and antiviral

This program has a selective effect on the following types of bacteria and viruses:

Salmonella;	helicobacter pylori;
shigellas;	cytomegalovirus; epstein-
escherichia (pathogenic or diarrhoeal	bara virus; herpes simplex
escherichia (pathogenic or diarrhoeai escherichia coli); Yersinia; Campylobacter; Listeria; corynebacterium; brucellas; staphylococcus; streptococci; legionella; leptospira; klebsiella (4 types); influenza virus; adenoviruses; parainfluenza virus;	virus; herpes zoster (type 3 herpes virus); the virus of warts; papilloma virus; avian influenza; RS — virus; hepatitis of all types; rhinoviruses; clostridium (13 types); mycobacteria; mycoplasma; enterococcus; blue pus bacillus

Program No. 3. Anthelmintic and Antiprotozoal

This program has a selective effect on helminths and protozoa. Classification of helminths (superphylum of inferior worms, scolecides)

1. Flat worms:

Class of trematodes (flukes):

pistar
cloner
dicrocoelius
fasciola
paragoni
methoni
nanophyte
shistosoma

Class of cestodes (tapeworms):

tapeworms: tapeworm dwarf, hookless tapeworm, armed tapeworm, rat tapeworm, dog tapeworm (cucumber); ychinococcus, alveococcus; tapeworms: broad ribbon.



Roundworms (nematodes):

pinworm ascaride whipworm hookworm necator strongyloid



Trichostrongyloidea Trichinella Filarias

2. Animalculine.

Lamblias Amoebae Trichomonas Chlamydias Toxoplasms Loa Onchocerca Toxocara

Trypanosomes Pneumocyte Balantidia Lleishmania et al.

Program No. 4. Miticidal and General

This program includes anthelmintic, anti-virus (including HPV and warts), antiprotozoal (against protozoa), and miticidal, has a combined effect on helminths, viruses, protozoa and mites.

Mites: cereal mites; demodex; itch mites; dust mites. Program No. 3 complements program No. 4 on their effect on mites.

Program No. 5. Prevention and detoxification

Dr. Hulda Regher Clark's modified program has a general effect on all kinds of pathogens. Recommended as a prophylactic method of exposure in case of unidentified pathogens, including allergic diseases.

Recommendations:

If the causative agent is precisely defined, we recommend using narrower programs: No. 1, No. 2, No. 3. With a combination of different pathologies - No.4 is for the prevention and with an insufficiently reliable diagnosis of the pathologies – the program No. 5. Children, elderly people, and people weakened and with a set of chronic diseases should undergo programs in a day, and during exacerbation - in two days. When working with the device during the day, increased consumption of liquid (2-2.5 liters) of structured, slightly mineralized purified water is recommended.

In order to calculate Your individual daily water intake, you should:

- for young (up to 40 years old) and middle (up to 65 years old) people: weight (in kg) multiply by 30;
- for children individually, depending on age: at the age of 6 months old 130-150ml should be multiplied by weight in kg; at the age of 2 years old 115-125 ml should be multiplied by weight in kg; at the age of 10 years old 70-100 should be multiplied by weight in kg.

The principle of operation of programs No.6, No.7, No.8, No.9, No.10 -is biocorrection and electrical stimulation

10



Full Body Check

19

The principle of operation of the programs from the 6th to the 10th is based on the target resonance effect in combination with the reflex effect of weak electrical impulses on the skin receptors (biologically active zones) using a remote eight-contact electrode or vector.



During the combined sessions, capillaries expand, blood circulation improves, the energy of cells resumes, the activity and release of enzymes are stimulated, protein synthesis increases, trophic and regenerative processes improve. Signals are transmitted through the nerve receptors

K to the internal organs, there happens the analgesic and antispasmodic effect. As a result of the combined effect on the pathological foci in the body, the paracrine regulation is restored (information transfer from cell to cell) – the resumption of the chain of electrochemical reactions in the body.

Biomagnetic waves formed by 8 (eight) electrodes affect the affected "plateau" of the suffering organism or preventively in area, with penetration to the required (according to the condition) depth.

Positive influence on nonspecific factors of protection of an organism, the adaptive reactions has been noted.

If we consider the relativity of the concept of health (as there are people who consider themselves healthy in the absence of subjective pain, and actually having a serious disease, and conversely, people presenting a lot of subjective complaints without objective signs of illness), in this case, the use of the *BREON*TM device acquires a new quality to normalize those regulatory processes, based on the activity of the nervous, endocrine, immune systems. However, there are no contraindications for the use of *BREON*TM for the purpose of recovery.

Any procedure can be applied by a person who considers himself healthy, in doses recommended in the literature, independently without a doctor's appointment. Moreover, you can use one procedure, and you can use several in combination, adhering to the recommendations, without fear of undesirable side effects.

The accumulated experience of using the *BREON*TM device for the purpose of recovery (prevention) and correction of the body shows that a three-stage program can serve as an effective complex of rehabilitation and activation of regulatory systems.

At the first stage, an individual selection and appointment of "cleansing" procedures, as well as the use of other methods of complex purification of the body; optimization and rationalization of nutrition, work and rest, the formation of human behavior in specific environmental conditions takes place.

The second stage is aimed at the normalization of the functions of the nervous, endocrine and immune regulation of homeostasis, based on the application and correction of human homeostasis. Depending on the degree of dysfunction of the regulatory systems and related diseases, the procedures of the *BREON*TM device are prescribed individually, possibly in combination with allopathic substances, i.e. biologically active additives and drugs.

The third stage is to maintain the norms of the functioning of regulatory systems.

In one or another combination, the *BREON*TM device is used in all three phases of the program.

The work with these programs is carried out with the help of the active remote eight-contact electrode. The electrode is applied by metal contacts to painful areas of the body. Buttons No. 3 and No. 4 of the effect level bring the level of outgoing pulses to the sensation of a slight tingling on the body or a slight feeling of vibration from electrodes (when using the device as a mini-reflex therapist for children from 2 to 14 years old, the device is adjusted to the minimum impulses, the signal is not brought to the feeling of tingling on the skin).

In case of hypersensitivity of the skin, when a strong tingling appears even when the device is only turned on - the session should be carried out through a dry gauze cloth or a thin cotton cloth).



Further, smooth sliding movements can be used to easily massage over the skin surface of painful areas of the body, capturing healthy areas without applying excessive force (do not hold the electrode in one place).

The effectiveness of the work depends not on the strength of the electrode pressure, but on its ability to restore blood circulation, trophism and nutrition of nervous tissue, muscles and internal organs.

Program No. 6. Cosmetology and trophism improvement.

Cthe *BREON*[™] device can be used for non-surgical partial facelift and removal of postpartum stretch marks. Weak electrical impulses affect the receptors of the skin, with the expansion of capillaries, improving blood circulation, stimulation of cell activity and the release of enzymes, protein synthesis, improvement of trophic and regenerative processes. As a result, the skin tone increases, wrinkles are smoothed, the color and structure of the skin improves, which gives a **powerful anti-aging effect**.

To do this, work with an active remote eight-contact electrode according to the massage lines of the face, neck and décolleté. You will get excellent results if before the massage, treat the skin of the face by cleaning, make-up, applying a mask or creams using the *BREON*TM device in combination with structured water from the installation of "Ecolid" series of the company "Leader-group international", which will significantly improve the digestibility of cosmetics, reduce their consumption.

In addition to the cosmetic effect, the program provides:

Restoring the function of the sebaceous and sweat glands.

Restoration of skin-vascular reactions and neurovascular tone, which is manifested by improvement of microcirculation in pathological foci of the skin and hematological parameters in patients with eczema and neurodermatitis.

With the systematic use of the device, a qualitative improvement in blood circulation is observed, which leads to an increase in oxygen saturation of the skin, improves the complexion, quickly eliminates swelling of any localization.

Myostimulating effect provides wrinkles smoothing, improves skin tone and elasticity.

Anti-inflammatory effect can improve the condition of the skin with acneiform rash, pustular diseases, after cosmetic cleaning or surgery.

Activation of metabolic processes in the skin and protein synthesis processes, accelerates the healing and regeneration processes, increases the elasticity of the skin. This effect of the program can be used to eliminate **trophic disorders of the skin** of the **lower extremities**, in the complex therapy of skin rejuvenation programs, in the post-operative period, to accelerate the regeneration (healing) of seams.

Acceleration of transmembrane transport of nutrients accelerates absorption from the surface of the skin and the transport of cosmetic and therapeutic formulations (creams, ointments, masks) into the tissue. It allows applying the cosmetic program in combination with these or those cosmetic and medical means which increases their bioavailability and efficiency due to the effect of phonophoresis.

It is advisable at the beginning of the course of therapy (the first 1-2 sessions) to carry out the impact on the skin in the neck in a comfortable energy mode to establish the threshold of individual sensitivity. After that, the work is performed in the areas of pathological changes in the skin, starting with the subthreshold energy level and the minimum duration of the procedure (7 minutes), gradually, from session to session, increasing the exposure time to 14 and 21 minutes by the end of the course of therapy, which in



some cases may consist of 10-12 daily sessions. It is possible to carry out therapy through a gauze, non-woven or paper napkin soaked in a therapeutic or cosmetic composition, which will complement the restorative effect of the cosmetic program with the effect of phonophoresis, the applied therapeutic agent.

The main areas of application of the program:

- non-surgical lift;
- rejuvenation;

complex therapy of obesity, cellulite;

postoperative rehabilitation;

infectious skin diseases (furunculosis, streptoderma, demodicosis) or infectious-allergic nature

(psoriasis, neurodermatitis, eczema);

elimination of edema and cosmetic defects of the skin;

elimination of the consequences of soft tissue bruises,

abrasions.

It is recommended to combine the main program with the programs: No. 7 analgesic and anti-inflammatory, No. 9 anti-cellulite – for the elimination of skin diseases, in problem areas, No. 10 recovery and prevention of diseases of the gastrointestinal tract - in the area of the liver projection, pancreas and intestines, to normalize metabolic processes, stimulation of detoxification. And also with the programs of resonance-frequency correction, depending on the etiological factor which caused a particular pathological condition (intestinal dysbiosis, pancreatitis, cholecystitis).

Program No. 7. Analgesic, anti-inflammatory and decongestant

Program mode No. 7 gives a noticeable reduction in pain and inflammation, relieves spasms, swelling and irritation of the skin.

Effects and scope of use of the program.

The principle of operation of the program is based on the simulation of autogenous impulses, which are transmitted by remote electrodes through the skin to nerve and muscle fibers. Electrodes can be placed on different parts of the body. The resulting electrical irritation is safe. However, you should remember about the individual threshold of pain sensitivity and select the energy level of the program according to subjective sensations. The electrical impulses generated in this program affect the transmission of excitation along the nerves as well as the nerve nodes and muscle groups in the application area.

Analgesic and pain-suppressing effect is achieved by increasing the release of autogenous endorphin, which reduces sensitivity to pain due to its effect on the central nervous system.

The anti-inflammatory effect of the program contributes to the improvement of blood circulation in the focus of inflammation, thereby dramatically increasing the number of necessary blood cell elements which carry out phagocytosis (devouring special cells of infectious agents).

Increased venous outflow from the focus of inflammation leads to a rapid "washout" of the intercellular space and cells of the affected tissues of poisons (toxins), as well as mediators of inflammation and pain, which are released during inflammatory reactions.



Simultaneously stimulating pulse of the apparatus leads toward the activations of cellular andhumoral link of immunity, through which faster than usual elimination (elimination and removal from the body) of the cause of inflammation is achieved. This mechanism of action of the device either blocks the inflammatory process at an early stage of development (if the device is used immediately after the first symptoms of inflammation), or accelerates all stages of the inflammatory process (in about 2-3 times).

Thanks to this action, the device is successfully used both in local inflammatory processes (boils, carbuncles, hydroadenitis, festering wounds and others) and in various infectious diseases (acute respiratory infections, influenza, sore throats, bronchial inflammatory diseases, lungs, heart, urogenital system, viral hepatitis and others).

Indications for the use of the programs:

- mono and polyneuropathy;
- · plexitis and plexopathy;
- back pain due to muscle-tonic syndrome;
- complaints on the lumbar and cervical spine;
- joint pain (e.g. knee, hip, shoulder);
- headache;
- menstrual pain in women;
- pain after injuries of the musculoskeletal system;
- pain and circulatory disorders (vegetatation);
- chronic pain caused by various causes;
- . autoimmune, infectious and allergic processes in tissues and organs;

inflammatory processes of infectious and non-infectious nature (toxicoallergic) in tissues and organs caused by pathogens of different groups, their toxins or toxins of exogenous origin (food or dust allergens, heavy metals, chemicals and compounds).

The program is recommended to be combined with almost all types of treatment, both pathogenetic and symptomatic correction.



Program No. 8. Rehabilitation and prevention of the musculoskeletal system

Program No.8 is a restorative for connective tissue: restores deformed (damaged) surfaces of joints, improves elasticity of ligaments, blood vessels, promotes wound healing (with trophic ulcers). This mode allows preventing such diseases as osteochondrosis of the spine, sciatica, osteoarthritis of joints, holarthritis, varicose veins, heel spurs and other diseases of the musculoskeletal system.

Based on the restorative functions of the tone of the muscular-ligamentous apparatus, this program will be effective in the complex treatment and in case of omission of internal organs, after the preliminary elimination of infections and other parasitic infestations in these organs (which provoked the omission).

It is recommended in the treatment of diseases of the joints and spine, it is indispensable in cases of drug intolerance or contraindications to the appointment of a number of drugs (non-steroidal anti-inflammatory, such as diclofenac, ibuprofen, etc.)

It is recommended to combine with the program No. 7, to potentiate the effect. It is also recommended to combine with programs of frequency resonance therapy, according to the scheme of work with the main disease, since the main part of the pathology of the musculoskeletal system is associated with a viral and bacterial group of infections such as hemolytic streptococcus, chlamydia, borrelia, epstein-bar virus, etc.

Impact by the 8 mode is carried out locally in the affected area of the spine or joint. Duration of exposure is from 14 to 28 minutes, it is possible to conduct several sessions within a day.

Program No. 9. Improvement of blood vessels, anti-cellulite, lymphatic drainage.

A lot of unpleasant moments are provided by the women's cellulite. The skin loses its smoothness and dimples and bumps are formed on its surface. For some reason it is believed that cellulite is a disease of overweight and not very young women. This is an unfortunate misconception. Recently, there has been an alarming trend towards the rejuvenation of this disease. It is found even in fourteen-year-old girls. According to experts, this is a consequence of a sedentary lifestyle and malnutrition.

Cellulite is a deformation of the fat cell, which occurs due to stagnation in the lymphatic system. Accumulating and stagnating in subcutaneous tissue, the liquid begins to press on the cell, deforming it. Skin cannot withstand such pressure, and gradually the hills are formed on it. The most difficult to treat is pronounced cellulite, which is already visible visually. In the early stages, it can be healed completely. Therefore, the earlier you start treatment, the better the result will be.

Before the procedure, apply a gauze cloth in 3 layers to the cleansed skin moistened with water from the "Ecolid" series installation, put an active remote eight-pin electrode on top of it, bring the signal level using the buttons No. 3, No. 4 ("-" and "+") to a feeling of light tingling and use light sliding movements to carry out the procedure for 14-21 minutes. After that, applying anti-cellulite cream, use light massage movements to rub it into the skin and applying a gauze cloth, re-conduct the above actions with an active remote eight-contact electrode. When a sharp tingling appears, reduce the level to a state of comfort.

Affect on the aging skin and skin folds with the main mode No.6 (2-3 sessions per day) and auxiliary modes No. 7, No.8.



Program No. 10. Improvement and prevention of diseases of the gastrointestinal tract

This program of the *BREON*TM device is designed for the recovery and prevention of diseases of the gastrointestinal tract:

gastritises; gastric ulcer and duodenal ulcer; enteritises; cholecystitis; colitises; sigmoid.



Combination of *BREON*TM operating modes for the correction with various pathologies

1. The standard connection scheme is right hand and left hand.

Most effective when there are pathological processes in the chest and neck.

2. Connection scheme is right foot and left foot.

It is the most effective in the presence of pathological processes in the pelvis (gynecological and urological diseases) and abdominal cavity (pathology of the kidneys, small and large intestine).

3. Connection scheme is right foot -right hand or left foot-left hand.

It is expedient at lateralization of pathological process (when there is a damage of organs mainly of one side of a body).

Example:

BRT in the **mode No.1+No.2** is carried out according to the following scheme: mode No.1 (7 minutes) + mode No. 2 (7 minutes) - break 14 minutes - mode No. 1 (7 minutes) + mode No. 2 (7 minutes), i.e. the session is held twice for 14 minutes with one 14-minute break.

if BRT in the **mode No.2**, it is carried out according to the following scheme: mode No.2 (7 minutes) - 10 minutes break-mode No.2 (7 minutes) — 10 minutes break-mode No.2, i.e. the session is held three times for 7 minutes with two 10 minute breaks (for middle age. The break can be from 7 minutes - for young people and up to 20 minutes - for the elderly).

Attention! In acute processes, mode No.2 (antibacterial program) is carried out 3-4 times <u>a day (2 days in a</u> row), depending on the severity of the process.

B in case of antibiotics, it is necessary to add once a day mode No. 1 (antifungal) along with the traditional recommended treatment mode for any disease.

In case of chronic diseases, courses are selected individually on the advice of a specialist.

The classical scheme of the session: 7 minutes of work and 20 minutes break, 7 minutes of work and 20 minutes break, 7 minutes of work. i. e. in a classical session three seven-minute cycles of one mode with two 20-minute breaks between them, only 61 minutes.

If you make a correction with **a combination of modes** (for example, No. 1 and No. 2 or No.1 and No. 4), then the session takes the following form: 7 minutes in mode No. 1, and without interruption, immediately after the 7-minute cycle, select mode No. 2 and spend another 7-minute session in this mode, after which withstand a 20-minute break. Then again we conduct a session

B mode No.2 (it was the last set mode before the break) and, at the end of the 7-minute cycle, without taking a break, select mode No.1 and spend another 7-minute session in this mode. After that, we maintain a break of 20 minutes and now conduct a session according to the first scheme, i.e. mode No.1 and immediately after it, without a break, mode No.2. One cycle of such a combined session lasts not 7, but 14 minutes, and the total duration of the session is 82 minutes or one hour and 21 minutes, respectively. In case of lack of time, it is possible to carry out therapy without the recommended breaks, but in this case, the symptoms of intoxication resulting from resonant frequency exposure will be more painful, which will require taking more water and sorbents throughout the day.

The power or amplitude of the signal in modes 6 to 10, can be adjusted during the therapeutic session, setting it with the help of the buttons No.3 (less) and No.4 (more).

But at work with 1 to 5 programs of resonant frequency influence, this ADJUSTMENT of power of a SIGNAL is NOT MADE.



Performing iontophoresis using the *BREON*TM device

The *BREON*TM device can be used as the most optimal and easiest way to introduce various liquid preparations into the body. In this case, the method of administration of the drug is so simple that it can be used not only in the clinic, but also at home.

For this, it is necessary to moisten the gauze in 3 layers of water from the installation of "Ecolid" series of the company "Leader group international", or any medicinal liquid (it would be better to mix liquid medications half-and-half with water from the "EcoLid" series plant). Squeeze the napkin (it should be wet, but not dry and not too wet), apply to the desired area of the body (face, legs, arms, torso, spine, etc.); on top of the napkin put an active remote eight-pin electrode, bring the signal level using the buttons No.3, No.4 to a feeling of slight tingling and using light sliding movements carry out the procedure for 14-21 minutes. When a sharp tingling appears, reduce the level to a state of comfort.

The algorithm of application of bioresonance correction

1. To establish the pathogenic background.

- 2. Assess the functional state of the organs.
- 3. Select programs and application zones.

4. In functional disorders choose a combination with the other methods: homeopathy, endogenous BRC along meridians, directed nutrition, vitamins, minerals, amino acids, physiotherapy.

5. Exercise control after the applied methods.

Warnings

Attention! NEVER USE A BREON™ DEVICE IF YOU ARE WEARING AN <u>ELECTRO PACEMAKER</u>.

Since electrical signals can affect the correct operation of the pacemaker, do not conduct experiments on yourself!

Attention! <u>Along with the use of the bioresonance device, continue the course of medication prescribed by the</u> <u>doctor. The device, as a rule, can be used together with the majority of medicinal products, dietary</u> <u>supplements, special foods and medical cosmetics.</u>

Remember! This device is designed for the prevention of chronic diseases and an integrated approach in the treatment of many pathological conditions.



OREON device [™] APPENDIX

QUESTIONS AND ANSWERS

<u>Question: Is it worth to use the device in symptomatology: dry mouth, headache, old fractures and fused</u> bones are starting to hurt, muscle spasms, increased papillomas, etc.?

Yes, keep applying, You are on the right path to recovery! Do not forget to drink enough water. If necessary, consult a gastroenterologist or a bioresonance therapy consultant.

Question: Is it harmful to the body?

No. Frequency of parasites lie in the range of 30-900khz. The resonant frequency of the structures of the human organism are in the range of 1520-9460 KHz. The frequencies harmful to the human body are beyond 1 MHz boundary.

Question: What is the difference between <u>BREON TM</u> and devices from other manufacturers?

1. Compliance with low price and high quality.

2. Quartz frequency stabilizer (where the tolerance of frequency fluctuations is + - 1.5 %, thereby preventing the parasite from adjusting).

3. Scanning - a fan-overlap on the frequencies.

4. Frequency Cycling.

Question: What diseases has it had the greatest results with?

We have obtained excellent results in the treatment of many diseases caused by bacterial and viral infections, protozoa, including chlamydia. Excellent results in the treatment of influenza, sinusitis, thrush, herpes, chlamydia, dysfunction of the gastrointestinal tract, various infections, bronchitis, asthma, COPD, pleurisy, gastritis, cholecystitis, diseases of the cardiovascular and musculoskeletal systems.

Question: will the device be effective on animals or is it only for humans?

Yes, the device will be as effective for animals as it is for humans, since the damage is caused by the same parasites, viruses and bacteria.

Question: is there an age limit to use the device?

No, there is no age limit. The device is safe to use and can be used from birth to old age.

Question: isn't the effect of the device a placebo?

No, because there are excellent results in working with babies and animals. This category of patients cannot be considered effective in any way.

Question: Is it possible to help a person with a pacemaker?

Yes, it is. In this case, it is forbidden to work directly with the electrodes, but you can use the vector to charge the water. Due to the unique properties of information storage, water carries the necessary vibrations directly into the cell of the body, without disturbing the work of the pacemaker.



No.	Disease	Used exposure modes		The area of the
Ser No.		Passive electrodes	Active remote electrode	body
1	Acute respiratory viral infections.	No. 2 3-4 times a day (2 consecutive days)	No. 7 2-3 times a day	Feet, chest area along the spine, sinus projections including maxillary sinuses
2	Bronchitis, pneumonia	No. 1+No. 2 1 time per day (4 consecutive days) №5 1 time per day (3 consecutive days)	No. 7 2-3 times a day (3 days in a row)	Front chest surface, bronchial and lung projection, and back side.
3	Bronchial asthma.	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (session should be carried out 1 time in a day) 6-10 day modes repeat. Subsequent sessions under the specialist supervision.	No. 7 daily	Front projection of bronchi, rear projection of bronchi and lungs, as well as blades along the ribs from the spin and paravertebrally (from the spine 2 cm to the left and right)
4	Tonsillitis, pharyngitis <u>,</u> angina	No. 1+No. 2 2 times a day (3 days in a row) No. 4 1 time per day (2 consecutive days) No.5 1 time per day (2 consecutive days)	No. 6, No. 7 1 times in day	A small 2-pin remote electrode in the jaw area from the angle to the middle of the jaw. Do not touch the area of the thyroid body!
5	Sinusitis, sinusitis, rhinitis	No.1+No.2 2 times a day (2 days in a row) No. 4 1 time per day (4 consecutive days) №5 1 time per day (2 consecutive days)	No. 6, No. 7 1 times in day	Back of nose, nasal area, eyebrow area, s u b m a n d i b u l a r area.

Table of combinations of programs for various pathologies



6	Ischemia of heart Cardioneurosis (pain in the heart)	1 st day No. 5 2 nd day No. 2 3 rd day No. 5 4 th day No. 2 5 th day number 5 (session should be carried out 1 time in a day) 6-10 day repeat the modes	No. 7, No. 6 2-3 times a day No. 8 - 1 per day	A b o v e a n d infraclavicular region to the left, sternum area to the front, left shoulder, left arm, left cervical thoracic spine, collar area.
7	Neurocirculato ry dystonia, vascular dystonia.	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (session should be carried out 1 time in a day) 6-10 day repeat the modes	No.6, No.7, No.8 4 times per day	Above the localization of pain, as well as the eyebrow ridge, temples, neck, upper jaw, collar zone (neck, shoulders, shoulder blades, thoracic spine).
8	Hypertensive disease-	1 st day No. 5 2 nd day No. 2 3 rd day No. 1 4 th day No. 2 5 th day number 5 (session should be carried out 1 time in a day) 6-10 day repeat the modes	No.6, No.7 No.9 selectively	Nape, neck, thoracic spine, shoulders, hands, legs.
9	Myocarditis	1 st day No. 1 2 nd day No. 2 3 rd day No. 2 4 th day No. 4 5 th day number 5 (session should be carried out 1 time in a day) 6-10 day repeat the modes	No. 7, No.8, No.9	Supraclavicular and infraclavicular region on the left, sternum area, left shoulder, left arm, left cervical- thoracic spine, shoulder blades.
10	Headache syndrome	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (session should be carried out 1 time in a day) 6 th day No. 5 and in reverse order to 10 days.	No. 7 is the main, No. 6, No.8, No., 9 are optional	Hair of the head above the localization of pain, temporal area, neck, n e c k, s h o u l d e r, temporomandibular joints, forehead, brow arches.
11	Cerebral violations.	1 st day No. 1 2 nd day No. 2 3 rd day No. 2 4 th day No. 4 5 th day number 5 (session should be conducted 1 time per day) 6-10 day – the modes should be repeated.	No. 6, No. 7 selectively No. 9 daily	Paralyzed limbs, spine from neck to coccyx in combination with the medication treatment.



12	Consequences of brain injury.	1st day No. 5 2nd day No. 2 3rd day No. 3 4th day No. 4 5th day number 5 (session should be carried out 1 time in a day) 6-10 day the modes should be repeated.	No.6, No.7, No.8, No.9 selectively	The hairy part of the head above the localization of pain, temporal region, nape, neck, shoulder blades, upper and lower jaw joints, forehead, brow ridges.
13	Gastroduodenitis , ulcer disease.	1 st day No. 2 2 nd day No. 2 3 rd day No. 1 4 th day No. 3 5 th day number 5 (session should be carried out 1 time in a day) 6-10 day - repeat the modes	No. 7, No. 10 alternately	Epigastric region. Upper abdomen in the middle, right and left. The lower thoracic spine is paravertebral. On the site of the pain localization
14	Cholecystitis, dyskinesia of bile ducts.	1 st day No. 5 2 nd day No. 2 3 rd day No. 3 4 th day No. 3 5 th day number 5 (session should be carried out 1 time in a day) 6-10 day - repeat the modes	No.6, No.7, No.10 selectively	On the site of pain localization. Lower thoracic spine.
15	Chronic pancreatitis.	1 st day No. 1 2 nd day No. 5 3 rd day No. 2 4 th day No. 5 5 th day number 3 (session should be carried out 1 time in a day) 6-10 day - repeat the modes	No.7, No.9, No.10 selectively	On the site of pain localization. Lower thoracic spine.
16	Colitis, dysbacteriosis	1 st day No. 1 2 nd day No. 2 3 rd day No. 1 4 th day No. 2 5 th day number 5 (session should be carried out 1 time in a day) 6-10 day - repeat the modes	No.7, No.10 selectively	Upper abdomen in the middle, right and left. Lower Thoracic spine. On the site of pain localization.



17	Parasitic infestations (worms).	No. 3 1 time per day (daily or in a day) 7 sessions No. 4 1 time per day (daily or in a day) 3 sessions	No. 7, No. 8, No. 10 selectively	To the area of localization of i n v a s i o n s, c o n d u c t i n g a remote electrode in the form of twisting and untwisting of t h e s p i r a l clockwise.
18	Chronic pyelonephritis, cystitis.	1 st day No. 1 2 nd day No. 2 3 rd day No. 2 4 th day No. 2 5 th day number 5 (session should be carried out 1 time in a day) 6-10 day repeat the modes	No.7, No.8, No.9 selectively	Lumbar region. Above the site of pain localization in the abdomen.
19	Prostatitis	No. 1+No. 3 1 time per day (5 sessions) No. 2+No. 3 1 time per day (5 sessions) 10-15 days break, doctor's control and the course should be repeated	No. 6, No. 7, №8, №9, №10 Selectively or alternately	Lower abdomen, pubic region, lumbosacral spine, perineal region. Since the perineum area is highly sensitive, do not allow much tingling.
20	Reduced Libido.	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (a session should be carried out 1 time per day) on 6-10 day the modes should be repeated	No. 6, No. 7, №8, №9, №10 Selectively or alternately	Lower abdomen, pubic region, iliac region on the right and left, lumbar spine.
21	Inflammatory diseases of the gynecological sphere.	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (session should be conducted 1 time per day) 6-10 day - modes should be repeated. Doctor's advice	No. 7 Is the main No.6, No.8, No.9, No. 10 selectively	Lower abdomen, pubic region, iliac region on the right and left, lumbar spine



22	Osteochondrosis of the spine, radiculitis, spinal disorders.	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (a session should be carried out 1 time per day) on 6-10 day the modes should be repeated	No. 8 is the main No.6, No.7, No.9, №10. are optional	Lumbosacral region of the spine, back, pelvis, buttocks.
23	Osteoarthritis of joints, polyarthritis, joint diseases.	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (a session should be carried out 1 time per day) on 6-10 day the modes should be repeated	No. 8 Is the main 3 times a day No.6, No.7, No.9 1 time per day alternately	Area of localization of pain and disorders
24	Varicose veins.	No. 1+No. 2 1 time per day (6 sessions) No. 3 1 time per day (2 sessions) No. 4 1 time per day (1 session) No. 5 1 time per day (1 session) break for 15-20 days and repeat the course. Doctor's advice	No.6, No.7, No.8, No.9 3 times per day alternatively	Especially the shin. A foot from bottom to top, as well as: hip, lumbosacral spine, sole of the foot.
25	Insect Bites	No. 5 1 time per day (7-10 sessions)	No. 7 is the main (3-5 times per day) No.6, No.9 are optional	The bite point. Usually after 15-20 minutes the swelling and redness decrease.
26	Heel spur.	No. 5 1 time per day (7-10 sessions)	No. 7, No. 8 are the main (2-3 times per day) No.6, No.9 are optional 1 time per day alternatively	Heel area, foot. Be especially careful in the area where the spurs are located.
27	Adhesive processes.	No. 5 1 time per day (7-10 sessions)	No. 7 is the main No.6, No.8, No.9, No. 10 are optional 1 time per day alternatively	Above the localization of the adhesive process.
28	Cellulite	Program No.1+No.2+No.3+No.4+No.5 1 time per day (the programs should be performed for 10 days without break)	No.6, No.9 (2-3 times per day) No.7, No.8 are optional	The area of cellulite abuse.



29	Toothache.	No. 2, No. 3+No2, No.1+No.2, No. 3 1 time per day (3 to 7 days)	No. 7 is the main No. 6, No. 8, No. 9, No. 10 are the optional	Above the place of pain.
30	Migraine.	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (a session should be carried out 1 time per day) 6-10 day modes should be repeated in reverse order	No. 7 is the main No.6, No.8, No.9, Over the place of pain. are optional	Hair part of the head above the localization of pain, temporal area, the back of the head, neck, shoulder, face- bow, forehead, eyebrow ridges. Above the place of localization of pain, spasm.
31	Neuralgia of the facial, trigeminal nerves.	No. 4 1 time per day (5-7 sessions)	No.6, No.7, No.8, No.9 alternately	Especially the brow area, cheekbones, jaw joints, temporal area, forehead, cervical spine.
32	Renal colic	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (a session should be carried out 1 time per day) 6-10 day modes should be repeated in reverse order	No. 7 is the main No.6, No.8, No.9, No.10 are optional	Lumbar region. Above the abdominal pain section.
33	Stress.	No. 5 1 time per day (5 sessions).	No. 7 is the main No.6, No.8, No.9, No.10 are optional	Temporal region, nape, cervicalthoracic region, neck and shoulders, shoulder blades.
34	Increase of adaptogenic reactions of the organism, correction of the immune system.	1 st day No. 1 2 nd day No. 2 3 rd day No. 3 4 th day No. 4 5 th day number 5 (a session should be carried out 1 time per day) 6-10 day modes should be repeated in reverse order	No.6, No.7, No.8, No.9, No.10 during one month	Feet, thoracic spine, sternum, sinuses, collar zone, palms.
35	Hepatitis of all kinds (treatment course from 6 to 12 months minimum). Each case is individual and treatment should be strictly supervised by a doctor.	The main mode is No. 2, additionally No.2+No.5, No.2+No1 can be used (during 21 day with the break of 14 days)	The main mode is No. 2, additionally No. 2+No.5, No.2+No1 can be used (during 21 day with the break of 14 days)	In the area of liver projection.



36	Tick lesions (including demodecosis)	Programs: No.2 - 7 days, No.1 - 7 days, No.4 - 7 days, 10-day break. Repeat 3 times.	No.9 1-week coarse	To the affected area of the skin.
----	--------------------------------------	---	-----------------------	-----------------------------------

Bless you!

This translation into English is done by me, the translator Kazarian Susanna V.

